Household Water Purifier

Household Water Purifier



UMK-BR10B2
Inlet pressure: 8-125 PSI.0.6-8.8 kg/cm²
With plastic bracket, wrench, brass port.



UMK-BR10B3
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With plastic bracket, wrench, brass port.



UMK-BR10B4
Triple filtration PP+GAC+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With steel bracket, wrench.



UMK-BR10B5
Triple filtration PP+GAC+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With steel bracket, wrench.



UMK-PRF02
Double filtration PP+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With steel bracket, wrench.



UMK-PRF03
Tripe filtration PP+UDF+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With steel bracket, wrench.



UMK-TRR01
Single filtration, PP catridge
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,contains a diverter and a faucet.



UMK-TR201
Single filtration, Thread filter or PP catridge
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,contains a diverter and a faucet.



UMK-TR201-W
Single filtration, Thread filter or PP catridge
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,contains a diverter and a faucet.



UMK-TR202
Double filtration PP+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,contains a diverter and a faucet.



UMK-TR203
Triple filtration PP+GAC+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,contains a diverter and a faucet.



UMK-TR303
Double filtration PP+GAC+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,contains a diverter and a faucet.



UMK-PR202UV
Double filtration +UV light
PP+CTO+UV light
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With steel bracket, wrench,faucet and other small accessories.



UMK-PR303A
3 stage filtration PP+CTO+T33
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,faucet and other small accessories.



UMK-PR202
Double filtration PP+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,faucet and other small accessories.



UMK-PR203
Triple filtration PP+GAC+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,faucet and other small accessories.



UMK-PR302
Double filtration PP+CTO
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With a wrench,faucet and other small accessories.



UMK-PR303
Triple filtration PP+GAC+CTO
Inlet pressure: 8-125 PSI./
0.6-8.8 kg/cm²
With a wrench,faucet and other small accessories.



UMK-PR304
4 stage filtration
PP+GAC+CTO+T33
Inlet pressure: 8-125 PSI./
0.6-8.8 kg/cm²
With a wrench,faucet and other small accessories.



UMK-PR305
5 stage filtration
PP+GAC+CTO+T33+T33
Inlet pressure: 8-125 PSI./
0.6-8.8 kg/cm²
With a wrench,faucet and other small accessories.



UMK-PR306
6 stage filtration
PP+GAC+CTO+T33+T33+Mineral Filter
Inlet pressure: 8-125 PSI./
0.6-8.8 kg/cm²
With a wrench,faucet and other small accessories.



UMK-BRM02-LS1
Double filtration PP+CTO or depend on your require
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With steel bracket, wrench



UMK-BRL03
Triple filtration PP+GAC+CTO or depend on your require
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With steel bracket, wrench



UMK-BRL03-LS3
Double filtration PP+CTO or depend on your require
Inlet pressure: 8-125 PSI.
0.6-8.8 kg/cm²
With steel bracket, wrench

Household Water Purifier



A1-2



A1-3



A1-4



A2



AS20-2



AS20-3



A3



B2



B3



C1



C1-1



C1-2



C1-3



C2



C3



Q3



Q3-1



RO-01



TQ



US10-3



US10-4



US10-5



US150



UB1000