Runxin Control Valve

F









Runxin Control Valve

F



Manual Filter Valve



Manual Softener Valve



Automatic Filter Valve



Automatic Softener Valve



One Valve On Duplex Tanks



Residential Softener of D Series



P Series Control Valve



IOT Control Valve



Control Valve for Floating Bed

Water Treatment Capacity		Filter		Manual softener	Automatic/Down-flow		Automatic/Up-flow	
		Manual	Automatic	Down-flow Up-flow	Time Clock Type	Meter Type	Time Clock Type	Meter Type
1-2m³/h	Model	51201A/51201B 50201C/51102 51202C	53502/52502H 53502B/63502P	61202/61202C 71202 (UF)	63502/60002 (Semi-automatic) 62502/63502B/63502P	63602/62602 63602B/63602P	73502/70002 (Semi-automatic) 72502/73502B/73502P	73602/72602 73602B/73602P
		F52/F56B/F56C F56E/F56EC	F71BI/F71DI F71GI/F71P	F64B/F64BC F64C (UF)	F65BI/F65C/F65D1 F65GI/F65P1	F65B3/F65D3 F65G3/F65P3	F69A1/F69C/F69DI F69GI/F69P1	F69A3/F69D3 F69G3/F69P3
4m³/h		51104/51204C	53504S/53504 52504H/53504B 63504P	61104/61204C	63504S/63504/62504 63504B/63504P	63604S/63604 63604B/63604P	73504S/73504/72504 73504B/73504P	73604S/73604/72604 73604B/73604P
		F56A/F56AC	F67B/F67CI/F67DI F67GI/F67P	F64A/F64AC	F63BI/F63CI/F63DI F63GI/F63PI	F65B3/F63C3 F63G3/F63P3	F68A1/F68CI/F68DI F68GI/F68P1	F68A3/F68C3/F68D3 F68G3/F68P3
5-6m³/h		51106	53506S	61106			72505/73505	72605/73605
		F56F	F67B-A	F64F			F92A1-LCD F92A1-LED	F92A-LCD F92A-LED
10m³/h		51210	53510/53510B	61210	63510/63510B	63610/63610B		
		F56D	F75A1/F75B1	F64D	F74A1/F74B1	F74A3/F74B3		
12-18m³/h		51215	53518	61215	63518/63515	63618/63615 63612	73515	73615
		F77BS	F77B1	F77AS	F77A1/F99A1	F77A3/F99A3/F99	F99D1	F99D3
20m³/h			53520		63520	63620	73520	73620
			F95B1		F95A1/F111A1	F95A3/F111A3	F95D1	F95D3
30-40m³/h		51240B	53530	61240B	63540	63640		
		F112BS	F112B1/F112B3	F112AS	F112A1	F112A3		
50m³/h			53550		63550	63650	73520	73620
			F96B1		F96A1	F96A3	F96D1	F96D3

Others

Name	New Model	Old Model	Remark	Name	New Model	Old Model	Remark
Bypass Valve	41104	F70A	Suited with F63/F68	Brine Valve	43010		Match with 07 tank
	41102	F70B	Suited with F65/F69		43020		Match with tank less than 16
	41204	F70C	Suited with F63/F68/F82				
	41202	F70D	Suited with F79				
	41206	F70F	Suited with F97/F92				

Name	New Model	Old Model	Water Treatment Capacity	Name	New Model	Old Model	Water Treatment Capacity
Down/Up-flow Softener	83602	F79	2 m³/h	Control Valve for Mixed Bed	15702	F86	2 m³/h
	83604	F82A3	4 m³/h		15704	F87	4 m³/h
	83504	F82A1	4 m³/h	Dexidized Control Valve	13504	F85	4 m³/h
	82602	F105	25 m³/h	One Valve on Duplex Tanks	17603	F73	35 m³/h
Control Valve for Floating Bed	93504	F83A	4 m³/h		17610	F88A	10 m³/h
	93610	F88C	10 m³/h		17606	F98A	6 m³/h
	92115	F77CS	15 m³/h	Auto Shut Off Valve		F76	
	93620	F95C	20 m³/h		48820	F104	
	93640	F78C	40 m³/h	Electronic Three-way Valve	42020	F80	20 m³/h
	93650	F96C	50 m³/h	On-line Sampling Monitory Device	44310	F84	
	93606	F98C	6 m³/h	Disc Filter	45006	F90A	6 m³/h
					45012	F90B	12 m³/h
					45020	F90C	20 m³/h
					45040	F90D	40 m³/h

Runxin Control Valve

Type	New Model	Old Model	Inlet/Outlet	Drain	Base	Riser Pipe	Brine Line Connector
Manual Filter Valve	51201A	F52	1/2″F	1/2″F	M82×3	φ16.5mm	/
	51101B	F56B	1/2″For3/4″F		Tr96×6 or φ 98 hackle whorl	1.05″OD	
	51101C	F56C			Tr118×6 or Tr110×6		
	51102/51202C	F56E/F56EC			2.5″-8NPSM		
	51104/51204C	F56A/F56AC	1″F				
	51106	F56F	1″F			1″D-GB	
	51110	F56D	2″F	1.5″F	4″-8UN	1.5″D-GB	
	51215	F77BS	2″M				
	51230	F78BS	DN65		Side-Mounted,DN80 Top and bottom strainer connector		
Automatic Filter Valve	53502/53502B 53502P/52502H	F71B/F71G/F71P/F71D	3/4″M	3/4″M	2.5″-8NPSM	1.05″OD	/
	53504/53504S/53504B 53504C/53504P/52504H	F67C/F67B/F67G F67I/F67P/F67D	1″F	1″F			
	53506S	F67B-A	1″F	1″F		1″D-GB	
	53510/53510B	F75A/75B	2″M	2″M	4″-8UN	1.5″D-GB	
	53518	F77BI					
	53520/53620	F95B/F95B3				/	
	53520/53620	F111B/F111B3				1.5″D-GB	
	53530	F78BI	DN65	DN65	Side-Mounted,DN80 Top and bottom strainer connector		
	53540/53640	F112B/F112B3	DN65	DN65			
	53550/53650	F96B/F96B3	DN80	DN80	Side-Mounted,DN100 Top and bottom strainer connector		
Manual Softener Valve	61202/61202C	F64B/F64BC	3/4″F	1/2″M	2.5″-8NPSM	1.05″OD	3/8″M
	71202	F64C	3/4″F	1/2″M			
	61104/61104C	F64A/F64AC	1″F	1/2″M			
	61206	F64F	1.5″M	3/4″M	4″-8UN	1.25″D-GB	1/2″M
	61210	F64D	2″M	1″M		1.5″D-GB	
	61215	F77AS	2″M	1.5″M			3/4″M
	61240	F78AS	DN65	DN65	Side-Mounted,DN80 Top and bottom strainer connector		
Automatic Softenter Valve	63502/63502B 63502P/63502	F65B/F65G/F65P/F65D	3/4″F	1/2″M	2.5″-8NPSM	1.05″OD	3/8″M
	73502/73502B 76502P/72502	F69A/F69G/F69P/F69D					
	63504S/63504/63504B 63504C/63504P/63504	F63B/F63C/F63G/F63I F63P/F63D	1″M				
	73504S/73504/73504B 73504P/72504	F68A/F68C/F68G F68P/F68D					
	73605	F92A	NPT1″	NPT1″		1″D-GB	
	63510/63510B	F74A/F74B	2″M	1″M	4″-8UN	1.5″D-GB	1/2″M
	63615	F99A	2″M	1″M			3/4″M
	63518	F77A	2″M	1.5″M			
	63520/73520	F95A/F95D	2″M	1.5″M	Side-Mounted		3/4″M
	63520	F111A	2″M	1.5″M	4″-8UN	/	
	63540	F78A	DN65	DN65	Side-Mounted,DN80 Top and bottom strainer connector		
	63540	F112A	DN65	DN65			
	63550	F96A	DN80	DN80	Side-Mounted,DN100Top and bottom strainer connector		
	82602/82602B	F79A-LCD/F79B-LCD	3/4″M	1/2″M	2.5″-8NPSM	1.05″OD	3/8″M
	83604/82604B	F82A-LCD/F82B-LCD	1″M	1/2″M			
	82603	F97	3/4″M	NPT3/4			
	82602E	F105	3/4″M	1/2″M			
One Valve on Duplex Tanks	17603	F73	1″M	1/2″M	2.5″-8NPSM	1.05″OD	3/8″M
	17606	F98	1″M	3/4″M	Side-Mounted, 1″Mop and bottom strainer connector		1/2″M
	17610	F88	1.5″M	1″M	Side-Mounted, 1.5″Mop and bottom strainer connector		
Control Valve for Rloating Bed	93504	F83A	1″M	1/2″M	2.5″-8NPSM	1.05″OD	3/8″M
	93606	F98C	1″M	3/4″M	Side-Mounted, 1″Mop and bottom strainer connector		1/2″M
	93610	F88C	1.5″M	1″M	Side-Mounted, 1.5″Mop and bottom strainer connector		
	91215	F77CS	2″M	1.5″M	4″-8UN	1.5″D-GB	3/4″M
	93520	F95C			Side-Mounted, 2″Mop and bottom strainer connector		
	91240/93640	F78CS/F78C	DN65	DN65	Side-Mounted,DN80 Top and bottom strainer connector		

Type	W.T.C(m³/h)	Tank Diameter Range	Regeneration Mode	Water Pressure	Water Temperature	Environment Temperature	Relative Humidity	Turbidity
Manual Filter Valve	1	6″-10″	/	0.15MPa-0.6MPa	5-50℃	5-50℃	≤95%(25℃)	<20FTU
	1	10″ Filter housing						
	1	20″ Filter housing						
	2	6″-10″						
	4	6″-12″						
	6	6″-14″						
	10	10″-24″						
	15	10″-30″		0.2MPa-0.6MPa				
	30	24″-42″						<10FTU
Automatic Filter Valve	2	6″-10″	/	0.15MPa-0.6MPa	5-50℃	5-50℃	≤95%(25℃)	<20FTU
	4	6″-14″						
	6	6″-14″						
	10	16″-24″						
	18	24″-30″						
	20	28″-40″		0.2MPa-0.6MPa				
	20	28″-40″						
	30	24″-42″						<10FTU
	40	36″-40″						
	50	36″-48″						
Manual Softener Valve	2	6″-12″	Down-flow	0.15MPa-0.6MPa	5-50℃	5-50℃	≤95%(25℃)	<5FTU
	2	6″-12″	Up-flow					<2FTU
	4	6″-18″	Down-flow					<5FTU
	6	10″-28″						
	10	10″-30						
	15	14″-42		0.2MPa-0.6MPa				
	40	36″-63″						
Automatic Softenter Valve	2	6″-12″	Up-flow	0.15MPa-0.6MPa	5-50℃	5-50℃	≤95%(25℃)	<5FTU
	2		Up-flow					<2FTU
	4	6″-18″	Down-flow					<5FTU
	4	6″-18″	Up-flow					<2FTU
	6	10″-24″	Up-flow					
	10	16″-30″	Down-flow	0.2MPa-0.6MPa	5-50℃	5-50℃	≤95%(25℃)	<5FTU
	15	24″-42″						
	18	24″-42″						
	20	28″-42″						
	20	28″-42″						
	40	36″-63″						
	40	36″-63″						
	50	60″-72″						
	2	6″-12″	Down/Up-flow	0.15MPa-0.6MPa	5-50℃	5-50℃	≤95%(25℃)	<5FTU or <2FTU
	4	6″-18″						
	3	6″-18″	Up-flow					<2FTU
	2	6″-12″	Down/Up-flow					<5FTU or <2FTU
One Valveon Duplex Tanks	3.5	8″-14″	Down/Up-flow	0.15MPa-0.6MPa	5-50℃	5-50℃	≤95%(25℃)	<5FTU or <2FTU
	6	16″-24″	Up-flow					<2FTU
	10	22″-30″						
Control Valve for Rloating Bed	4	10″-14″	Floating Bed	0.15MPa-0.6MPa	5-50℃	5-50℃	≤95%(25℃)	<2FTU
	6	16″-18″						
	10	20″-24″		0.2MPa-0.6MPa				
	15							
	20	24″-32″						
	40	36″-48″						